ELSEVIER

Analytica Chimica Acta 342 (1997) 253–255

ANALYTICA CHIMICA ACTA

Author Index

Abass, A.K., see Hart, J.P. 199
Alimonti, A.
—, Petrucci, F., Fioravanti, S., Laurenti, F. and Caroli, S.
Assessment of the content of selected trace elements inserum of term and pre-term newborns by inductivelycoupled plasma mass spectrometry 75

Boring, C.B.
—, Dasgupta, P.K.
An affordable high-performance optical absorbancedetector for capillary systems 123
Bulska, E. see Garboś, S. 167

Cagnini, A. see Carlo, M.D. 189
Cao, X.-W. see Liu, H.-L. 223
Carlo, M.D
—, Lionti, I., Taccini, M., Cagnini, A. and Mascini, M.
Disposable screen-printed electrodes for the immunochemical detection of polychlorinated biphenyls 189
Caroli, S. see Alimonti, A. 75
Chang, A.-C. see Hsieh, Y.-Z. 41
Chen, N.-Y. see Liu, H.-L. 223
Cheong, W.J.
—, Choi, J.D.
Linear solvation energy relationships in normal phase liquid chromatography based on retention data on silica in 2-propanol/hexane eluents 51
Choi, J.D. see Cheong, W.J. 51

Dasgupta, P.K. see Boring, C.B. 123
de Castro, M.D.L. see Jiménez-Carmona, M.M. 215
de Jong, A.P.J.M. see Visser, T. 151

Fang, Y.-z.
—, Long, D., Ye, J.
Study of acetaminophen by parallel incident spectroelectrochemistry 13
Feng, A. see Wang, H. 159
Fernandez, L. see Silva, M.F. 229
Fioravanti, S. see Alimonti, A. 75
Fojta, M.
—, Paleček, E.
Supercoiled DNA-modified mercury electrode:A highly sensitive tool for the detection of DNA damage 1

Garboś, S.
—, Bulska, E., Hulanicki, A., Shcherbinina, N.I. and Sedykh, E.M.
Preconcentration of inorganic species of antimony by sorption on Polyorgs 31 followed by atomic absorption spectrometry detection 167
Guan, F.
—, Wu, H. and Luo, Y.
A novel strategy for systematic optimization of micellarelectrokinetic chromatography separations 133
Gui, M.
—, Nagaraj, S., Rahavendran, S.V. and Karnes, H.T.
Diode laser induced near infra-red fluorescence detection for high-performance liquid chromatography analysis of indocyanine green in plasma 145

Hart, J.P.
—, Abass, A.K.
A disposable amperometric gas sensor for sulphur-containing compounds based on a chemically modified screen printed carbon electrode coated with a hydrogel 199
Hisamoto, H.
—, Kim, K.-H., Manabe, Y., Sasaki, K., Minamitani, H. and Suzuki, K.
Ion-sensitive and selective active waveguide optodes 31
Hsieh, Y.-Z.
—, Chang, A.-C.
Effects of analyte–matrix interactions on supercritical fluid extraction efficiencies of polycyclic aromatic hydrocarbons 41
Hu, Z. see Zhang, H. 59
Hulanicki, A. see Garboś, S. 167
Hyun, J.H.
—, Lim, H.B. and Lim, C.H.
Application of slurry sample introduction to a low-powerinductively coupled plasma atomic emission spectrometerincorporating a mini-torch 83

Jeng, S.-L. see Wang, C.-F. 239
Jia, L. see Zhang, H. 59

Jiménez-Carmona, M.M.
—, de Castro, M.D.L.
An approach for monitoring subcritical water extraction kinetics of fluorescent analytes 215
Jin, W.
—, Weng, Q. and Wu, J.
Determination of bovine serum albumin by capillary zoneelectrophoresis with end-column amperometric detection at thecarbon fiber microdisk array electrode 67
Jurs, P.C. see Sutter, J.M. 113

Karnes, H.T. see Gui, M. 145
Kim, K.-H. see Hisamoto, H. 31

Laurenti, F. see Alimonti, A. 75
Lee, S.-K.
—, Okura, I.
Porphyrin-doped sol–gel glass as a probe for oxygen sensing 181
Leong, L.S. see Tanner, P.A. 247
Lim, C.H. see Hyun, J.H. 83
Lim, H.B. see Hyun, J.H. 83
Lionti, I. see Carlo, M.D. 189
Liu, H.-L.
—, Cao, X.-W., Xu, R.-J. and Chen, N.-Y.
Independent neural network modeling of class analogy for classification pattern recognition and optimization 223
Long, D. see Fang, Y. 13
Luo, Y. see Guan, F. 133

Manabe, Y. see Hisamoto, H. 31
Marin, B.
—, Valladon, M., Polve, M. and Monaco, A.
Reproducibility testing of a sequential extraction scheme for the determination of trace metal speciation in a marine reference sediment by inductively coupled plasma–mass spectrometry 91
Mascini, M. see Carlo, M.D. 189
Minamitani, H. see Hisamoto, H. 31
Mohr, G.J. see Preininger, C. 207
Monaco, A. see Marin, B. 91
Muratsugu, M.
—, Romaschin, A.D. and Thompson, M.
Adhesion of human platelets to collagen detected by ^{51}Cr labellingand acoustic wave sensor 23

Nagaraj, S. see Gui, M. 145

Okura, I. see Lee, S. 181
Olsina, R.A. see Silva, M.F. 229

Paleček, E. see Fojta, M. 1
Peterson, T.A. see Sutter, J.M. 113
Petrucci, F. see Alimonti, A. 75
Polve, M. see Marin, B. 91
Preininger, C.
—, Mohr, G.J.
Fluorosensors for ammonia using rhodamines immobilized in plasticized poly(vinyl chloride) and in sol–gel; a comparative study 207

Rahavendran, S.V. see Gui, M. 145
Romaschin, A.D. see Muratsugu, M. 23

Sasaki, K. see Hisamoto, H. 31
Sedykh, E.M. see Garboś, S. 167
Shcherbinina, N.I. see Garboś, S. 167
Silva, M.F.
—, Fernandez, L., Olsina, R.A., and Stacchiola, D.
Cloud point extraction, preconcentration and spectrophotometric determination of erbium(III)–2-(3,5-dichloro-2-pyridylazo)–5-dimethylaminophenol 229
Somsen, G.W. see Visser, T. 151
Stacchiola, D. see Silva, M.F. 229
Sutter, J.M.
—, Peterson, T.A. and Jurs, P.C.
Prediction of gas chromatographic retention indices of alkylbenzenes 113
Suzuki, K. see Hisamoto, H. 31

Taccini, M. see Carlo, M.D. 189
Tanner, P.A.
—, Leong, L.S.
Microwave vacuum drying of marine sediment: determination of moisture content, metals and total carbon 247
ten Hove, G.J. see Visser, T. 151
Thompson, M. see Muratsugu, M. 23
Ting, Y.-S. see Zen, J.M. 175
Tu, F.-H. see Wang, C.-F. 239

Valladon, M. see Marin, B. 91
Visser, T.
—,Vredenbregt, M.J., ten Hove, G.J., de Jong, A.P.J.M. and Somsen, G.W.
Gradient elution liquid chromatography–infrared spectrometry at μgl^{-1} level using capillary column switching and addition of a make-up liquid.A preliminary study 151
Vredenbregt, M.J. see Visser, T. 151

Wang, C.-F.
—, Tu, F.-H. and Jeng, S.-L.
Determination of silicon in airborne particulate matter byUV–visible spectrophotometry 239
Wang, H.
—, Zou, H., Feng, A. and Zhang, Y.
Binding of sulfamethoxazole to human serum albumin studied by a combined technique of microdialysis with liquid chromatography 159
Weng, Q. see Jin, W. 67
Wu, H. see Guan, F. 133
Wu, J. see Jin, W. 67

Xu, R.-J. see Liu, H.-L. 223

Ye, J. see Fang, Y. 13

Zen, J.M.
—, Ting, Y.-S.
Simultaneous determination of caffeine and acetaminophen in drug formulations by square-wave voltammetry using a chemically modified electrode 175

Zhang, H.
—, Jia, L. and Hu, Z.
The mutual relationships between applied voltage, migration timeand peak area in capillary zone electrophoresis 59
Zhang, Y. see Wang, H. 159
Zou, H. see Wang, H. 159